# 2018 WATER QUALITY REPORT UTILITIES BOARD OF MUSCLE SHOALS

### OVERVIEW

The Muscle Shoals Utilities Board is pleased to provide you with this year's Water Quality Report for 2018. This report is designed to keep you informed about the quality of water and services we deliver to you every day. We want you to understand the efforts we make to improve treatment processes and protect our supply. We are committed to providing our customers with the safest and highest quality drinking water possible. This Water Quality Report is required by the Safe Drinking Water Act and tells you where your water comes from, what tests by independent laboratories show about it, and other information you should know about your drinking water.

The Muscle Shoals Utilities Board Water Treatment Plant is located at 321 River Road and utilizes Wilson Lake on the Tennessee River for its drinking water source. The treatment plant incorporates a process of mixing, flocculation, sedimentation, and filtration in the treatment process. Also, chlorine dioxide & chlorine are used for disinfection, fluoride for dental protection, caustic soda for pH adjustment and a phosphate corrosion inhibitor. The Utilities Board has also performed a source water assessment for the water treatment plant. This information may be viewed at the Utilities Board office between the hours of 7:00 a.m. and 3:30 p.m., Monday thru Friday. Appointments for reviewing are required.

The Utilities Board is governed by five (5) Board Members. Current Board members are Mr. Tyrus Mansell – Vice Chairman, Mrs. Donna Ricks, Mr. Kevin Self, Mr. William Smith – Chairman, and Mr. Joe Underwood.

If you have any questions about this report or concerning your water utility, please contact Mr. James Vance, Manager at 256-386-9260 or Mr. Brian Barton, Water Plant Supervisor at 256-386-9263. We want our valued customers to be informed about their water utility. If you want to learn more, please consult our website at <u>www.muscleshoalswater.org</u> or attend any of our regularly scheduled Board meetings. They are held at 5:00 p.m. on the third Thursday of every month at the Utilities Board Office at 2001 Wildwood.

## FROM THE MANAGERS DESK ...

The Muscle Shoals Utilities Board is pleased to share with you our 2018 Water Quality Report. The Utilities Board is committed to providing our customers with the safest and highest quality drinking water possible. If you have any questions regarding the information supplied within, please feel free to call our office at 256-386-9260.

The Utilities Board remains diligent to meet the demands that growth and more stringent regulatory requirements are placing upon our system. The Board is prepared to meet these challenges with state-of-the-art water treatment facilities. The Board's 9 MGD water treatment plant utilizes treatment technologies and equipment to produce safe, high quality drinking water to all of our customers. Also, the Utilities Board is in an ongoing effort to replace aged, galvanized water lines within its system and, over the next year, will be upgrading sanitary sewer pump stations in the northeastern part of the service area.

In other news, the Utilities Board strives to operate and maintain our sanitary sewer system to meet the usage and regulatory demands that are placed upon it. With that being said, we ask all our customers to be mindful of what is flushed into the sanitary sewer system. Fats, oils and grease DO NOT belong in the sanitary sewer system. These items can create major problems with the system, causing serious operational and maintenance issues and increased service costs to you, the customer. Please help us by properly disposing of these items. More information can be found on our website at www.muscleshoalswater.org.

Thank you for the opportunity to share this report with you.

James Vance, Manager

### COMMUNITY AWARENESS NOTICE

- Any unauthorized use and/or tampering with Treatment or Storage Facilities and Fire Hydrants is a FEDERAL OFFENSE! If
  you suspect or are aware of possible illegal activities around these areas, please contact us immediately at 256-386-9260.
- For any water or sewer EMERGENCIES, call 256-386-9260, answered 24 hours/7-days per week.
- For more information, please check our website at <u>www.muscleshoalswater.org</u>.

Water & Sewer EMERGENCIES Call 256-386-9260

The Muscle Shoals Utilities Board monitors for contaminants according to a schedule assigned to us by the Alabama Department of Environmental Management (ADEM), using EPA approved methods and a state certified laboratory. The Alabama Department of Environmental Management (ADEM) allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently.

Constituent Monitored	Date Monitored
Inorganic Contaminants	2017
Microbiological Contaminants	current
Lead and Copper	2017
Nitrates	2017
Radiological Contaminants	2012
Synthetic Organic Contaminants	2017
Volatile Organic Contaminants	2017
Disinfection By-products – Stage II	2017
Cryptosporidium	2017
Unregulated Contaminants Monitoring Rule Contaminants (UCMR3)	2013
Distribution System Evaluation (DSE) Disinfection Byproducts	2017

The following table is a list of Primary Drinking Water Contaminants, Unregulated Contaminants, and Secondary Contaminants for which our water system routinely monitors according to our regulatory schedule. These contaminants were not detected in your drinking water unless they are listed in the Table of Detected Drinking Water Contaminants.

REGULATED CONTAMINANTS									
Bacteriological	Mercury	Dichloromethane	Simazine						
Total Coliform Bacteria	Nitrate	1,2-Dichloropropane	Styrene						
Fecal Coliform and E. coli	Nitrite	Di (2-ethylhexyl)adipate	Tetrachloroethylene						
Fecal Indicators	Selenium	Di (2-ethylhexyl)phthalate	Toluene						
Turbidity	Thallium	Dinoseb	Toxaphene						
Cryptosporidium	Organic Contaminants	Dioxin [2,3,7,8-TCDD]	2,4,5-TP(Silvex)						
Radiological	2,4-D	Diquat	1,2,4-Trichlorobenzene						
Beta/photon emitters	Acrylamide	Endothall	1,1,1-Trichloroethane						
Alpha emitters	Alachlor	Endrin	1,1,2-Trichloroethane						
Combined radium	Benzene	Epichlorohydrin	Trichloroethylene						
Uranium	Benzo(a)pyrene [PAHs]	Ethylbenzene	Vinyl Chloride						
Inorganic Chemicals	Carbofuran	Ethylene dibromide	Xylenes						
Antimony	Carbon tetrachloride	Glyphosate	Disinfection Byproducts						
Arsenic	Chlordane	Heptachlor	Chlorine						
Asbestos	Chlorobenzene	Heptachlor epoxide	Chlorine Dioxide						
Barium	Dalapon	Hexachlorobenzene	Chloramines						
Beryllium	Dibromochloropropane	Hexachlorocyclopentadiene	Bromate						
Cadmium	o-Dichlorobenzene	Lindane	Chlorite						
Chromium	p-Dichlorobenzene	Methoxychlor	HAA5 [Total haloacetic acids]						
Copper	1,2-Dichloroethane	Oxamyl [Vydate]	TTHM [Total trihalomethanes]						
Cyanide	1,1-Dichloroethylene	Polychlorinated biphenyls							
Fluoride	cis-1,2-Dichloroethylene	Pentachlorophenol							
Lead	trans-1,2-Dichloroethylene	Picloram							
	UNREGULATE	D CONTAMINANTS							
1,1 – Dichloropropene	Aldicarb	Chloroform	Metolachlor						
1,1,1,2-Tetrachloroethane	Aldicarb Sulfone	Chloromethane	Metribuzin						
1,1,2,2-Tetrachloroethane	Aldicarb Sulfoxide	Dibromochloromethane	N - Butylbenzene						
1,1-Dichloroethane	Aldrin	Dibromomethane	Naphthalene						
1,2,3 - Trichlorobenzene	Bromobenzene	Dicamba	N-Propylbenzene						
1,2,3 - Trichloropropane	Bromochloromethane	Dichlorodifluoromethane	O-Chlorotoluene						
1,2,4 - Trimethylbenzene	Bromodichloromethane	Dieldrin	P-Chlorotoluene						
1,3 – Dichloropropane	Bromoform	Hexachlorobutadiene	P-Isopropyltoluene						
1,3 – Dichloropropene	Bromomethane	Isoprpylbenzene	Propachlor						
1,3,5 - Trimethylbenzene	Butachlor	M-Dichlorobenzene	Sec - Butylbenzene						
2,2 – Dichloropropane	Carbaryl	Methomyl	Tert - Butylbenzene						
3-Hydroxycarbofuran	Chloroethane	MTBE	Trichlorfluoromethane						
		CONTAMINANTS							
Alkalinity, Total (as CA, Co <sub>3</sub> )	Copper	Magnesium	Silver						
Aluminum	Corrosivity	Manganese	Sodium						
Calcium, as Ca	Foaming agents (MBAS)	Odor	Sulfate						
Chloride	Hardness	Nickel	Total Dissolved Solids						
Color	Iron	рН	Zinc						
	•	•	-						

To help you better understand the terms used in the following table, we've provided the following definitions:

ppm, mg/L (parts per million) - one part per million corresponds to a single penny in \$10,000.

ppb, ug/L (parts per billion) - one part per billion corresponds to a single penny in \$10,000,000. ppt (parts per trillion) – one part per trillion corresponds to a single penny in \$10,000,000,000.

ppq (parts per quadrillion) - one part per quadrillion corresponds to a single penny in \$10,000,000,000,000.

MFL – million fibers per liter

**pCi/I** – *Picocuries per liter (a measure of radioactivity)*  **NTU (Nephelometric Turbidity Unit)** - nephelometric turbidity unit is the measure of the clarity of water.

SU= Standard Units

- MCLG (Maximum Contaminant Level Goal) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. MCL (Maximum Contaminant Level) - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs
- as feasible using the best available treatment technology.
- MRDLG (Maximum Residual Disinfectant Level Goal) The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL (Maximum Residual Disinfectant Level) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that
- addition of a disinfectant is necessary for control of microbial contaminants.
- AL (Action Level) The concentration of a contaminant that triggers treatment or other requirement a water system shall follow.
- TT (Treatment Technique) A required process intended to reduce the level of a contaminant in drinking water. Variances and Exemptions ADEM or EPA permission not to meet an MCL or a treatment technique under certain conditions.

		Та	ble of D	Detecte	ed Con	taminants	- 2017 Data		
Th	is table list						e probable source of the	contaminants.	
CONTAMINANT	MCLG	MCL	Range Amount Detected		nt Detected	Likely Source of Contamination			
Bacteriological		(Jan Dec. 2017)							
Turbidity	n/a	TT	-	-	0.31	NTU	Soil runoff		
Inorganic Chemicals (Jan Dec. 2017)									
Fluoride	4	4	-	-	0.67	ppm	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories		
Nitrate	10	10	-	-	0.57	ppm	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits		
Copper	1.3	AL = 1.3	-	-	0.055	ppm	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives		
Disinfectants		(Jan. ·	Dec. 201	7)					
Chlorine	4	4	1.32	1.90	1.7	ppm	Water additive used to	control microbes	
Chlorine Dioxide	800	800	-	-	260	ppb	Water additive used to	control microbes	
Disinfection By-Products		(Jan.	- Dec. 201	17)					
Chlorite	0.8	1	-	-	0.99	ppm	By-product of drinking v	vater disinfection	
HAA5 – Stage II	n/a	60	6.7	44.5	24.5	ppb	By-product of drinking v	vater disinfection	
TTHM – Stage II	n/a	80	11.5	66.6	40.8	ppb	By-product of drinking water disinfection		
HAA5 - DSE	n/a	60	8.16	37.4	29.3	ppb	By-product of drinking water disinfection		
TTHM - DSE	n/a	80	11.4	64.7	35.5	ppb	By-product of drinking water disinfection		
Organic Chemicals		(Jan.	- Dec. 201	7)					
тос	n/a	TT	1.2	2.1	1.7	ppm	Naturally present in the environment		
Bromodichloromethane	n/a	TT	-	-	6.46	ppb	Naturally present in the environment		
Chloroform	n/a	TT	-	-	6.85	ppb	Naturally present in the environment		
Dibromochloromethane	n/a	TT	-	-	3.63	ppb	Naturally present in the environment		
Radiological		(Jan. ·	Dec. 201	2 Data)					
Combined Radium (pCi/l)	n/a	5	-	-	0.3	pCi/l	Erosion of natural depo	sits	
		Table of	f Detect	ed Se	condar	v Contami	nants - 2017 Data		
	This t						sthetic effects in drinking	water.	
CONTAMINANT			MCL				Units	Amount Detected	
Alkalinity			-			ppm		68.8	
Aluminum			0.2			ppm		0.097	
Calcium			-			ppm		21.9	
Carbon Dioxide			-			ppm		3.1	
Chloride			250			ppm		17.8	
Hardness			-			ppm		75.7	
Magnesium			-			ppm		5.08	
рН			-				S.U.	6.54	
Sulfate			500				ppm	14.4	
Sodium			-			ppm		11.5	
Specific Conductance			-			umhos/cm		235	
Total Dissolved Solids			500			ppm		124	
Zinc			5			ppm		0.572	
Langelier Index			-			-		-1.75	

### **REQUIRED ADDITIONAL HEALTH INFORMATION**

- All Drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).
- The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and radioactive material, and it can pick up substances resulting from the presence of animals or from human activities.
- To ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water.
- Some people may be more vulnerable to contaminants in drinking water than the general population. People who are immunocompromised such as cancer patients undergoing chemotherapy, organ transplant recipients, HIV/AIDS positive or other immune system disorders, some elderly, and infants can be particularly at risk from infections. People at risk should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).
- Based on a study conducted by ADEM with the approval of the EPA a statewide waiver for the monitoring of asbestos and dioxin was issued. Thus, monitoring for these contaminants was not required.
- Testing for the presence of Cryptosporidium in our source water was conducted. Cryptosporidium was not detected.
- If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Utilities Board is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your drinking water has been sitting for several hours, you can minimize the potential effects for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your drinking water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://www.epa.gov/safewater/lead">http://www.epa.gov/safewater/lead</a>.